

AC 200

Cummins
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	"	"	"	Amp
400/230	200,00	160,00	180,00	144,00	259,00

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

fl

fl " E

fl \$\$\$ \$\$\$

fl " \$ E

TRANSFER SWITCH

fl

AC 200

Cummins
Mecc Alte
P 602

1

Manufacturer		Cummins		
Model		6CTA 8,3-G2		
		% \$ \$ " # "		
		% \$ " "		
		Q (% < DQ		
	L	8,30		
	"	114 x 135		
		16,8:1		
	fl # ı	"# "	1500	
	fl ı	L	23,80	
		L	36,00	
Absorbed Air Discharge ReSourceKey.Text	' # "	12,50		
	' # "	186		
fl ' # ı	' # "	30,00		
	° C	536		
		24 V d.c.		
	Load	% \$ \$ı	' +)ı) \$ı
	# "	40,00	30,00	20,00

2

		Mecc Alte		
		ECO 38-1SN		
	Hz	50		
	"	180		
7 cg		0,80		
		3		
	fl ı	400/230		
	A	259		
Temperatur		H		

3

		fl ı		fl ı	
	"	"	"	"	L
AC 200	1700	2300	1150	1700	380
		fl ı		fl ı	
	"	"	"	"	L
AK 50	2100	3400	1210	1850	380

AC 200

Cummins
Mecc Alte
P 602

1 D * \$ & ! ' "



- 1 A U]b'gHh g'X]gd'Um'
- 2 8]gd'Um]Vc''Vi Hrcb"
- 3 DU[Yf]bZcfa U]cbk'Vi Hrcb"
- 4 7 ca a cb U'Ufa]bX]W]Hrcf"
- 5 GHh g'@98fj"
- 6 C dYfU]cb'gY'YV]b['Vi Hrcbg"

8G9za cXY''\$&\$'5i hc'A U]bg: U]i fy Vebfc''a cXi 'Y'
6UHYfmVUf[Yf']bdi h%, !&*('j c'h'zci rdi h''&+Z' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J k
9a Yf[YbVhgrcd' di g\ 'Vi Hrcb'UbX'Z' gYg'Z'fVebfc' 'V]fV]rg"

7 ca dcbYbrg]bgh'YX]b'g\YYhg'HY'YbWcgi fy''D\cgd\Uf'WYa]W'ždfY!VtU]b['cZghY' 'dfcj]XYg Vtffcg]cb
fyg]ghbghi fZUW''Dc'mYgYfVtca dcg]Y' dck XYf'rcdVtU]hZcfa g\ \ ['cgg'UbX'YI HfYa Y'mXi fUV'Y Z]b]g\''@cV]UV'
UbX\]b[YX'dUbY'Xccf' dfcj]XYg YUgmUWV'gg'hc' 'Vtca dcbYbrg"

'7 cbf'c' dUbY']g'a ci bHYX'cb VUgYZUa Y'k]h' ghY' 'ghUbX''@cW]HYX' Uhi'Y' f[\ hg]XY' cZ'HY [YbYfUrcf' gyHfK \Yb'nci
'cc_ Uhi'Y'; Yb''GYH'Zca '5'fYfbUrcfL

HV''8G9''\$&\$']g'U'ghUbXUfX' Vebfc''a cXi 'Y'Z'f'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Uj Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY' UbX' [Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$' a cXi 'Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
ZYei YbVtžj c'žW'fYbžYb[]bY'c']dfYggi fyZ'Vt'c'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX' VUHYfmj c'lg''A cXi 'Y
a cb]rcf'g'h'Y'a U]bg'gi dd'mUbX'gk]H\ 'c] Yf'hc'h'Y [YbYfUrcf'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HYg'cdYfU]cbU'ghUhi g'UbX'Z]i 'hVt'bx]h]cbgž'5i hca U]W'm]g\i H]b['Xck b'h'Y'; Yb''GYhUbX' []]b['hfi Y'Z]fghi d
Z]i 'hVt'bx]h]cb'cZ; Yb''GYhZ]i' fy''H\Y'@7 8'X]gd'Um]bX]W]HYg'h'Y'Z]i 'H'

A]W'cd'fcW'ggcf' Vebfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa U]cb'YUgmhc'fYUX"
(!]bYž*('1 '% &d]]Y'X]gd'Um'

5i hca U]W'm]fUbgZ'fg'VYh'YYb'a U]bg'fi H]h'hc'UbX' [YbYfUrcf' dck Yf'
A Ubi U' d'fc[fUa a]b['cb'Z'cbhdUbY''
I gYf]Z]YbX'mgYH'i d'UbX'Vi Hrcb''Urci H'
: fcbhdUbY' d'fc[fUa a]b["
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f]s]g\ck]b['XUfY'UbX'h'a Y'
7 cbf'c'g' Ghcd#F YgYhZ'A Ubi U'Z'5i hc'Z'HYghZ'GHUfz'Vi Hrcbg''5b'UXX]h]cbU' di g\ 'Vi Hrcb' bYI hrc'h'Y'@7 8'X]gd'Um]g
i gYX'hc'gVt'c''h'fci [\ h'Y'a cXi 'Yg'f'a YH'f]b['X]gd'Um]g"

AC 200

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh'

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'


9'YVW]VW' GUZYhm#9A 7 'V'a dU]V']hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]migtUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VbYVW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVWVUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\YmUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]VW'm(_J 'Zcf'\] [\ fY']UV']]m'

AC 200

Cummins
Mecc Alte
P 602

5?) \$!



1

Technical specifications and dimensions for the AC 200 generator, including details on the control panel, fuel tank, and cooling fan.

2

Technical specifications and dimensions for the AC 200 generator, including details on the maintenance doors and top access panel.

	"	1210
fl "L	"	3400
fl "L	"	1850
		380