

AJD 200

John Deere
Mecc Alte
D+&T



ISO8528 GC ;) &

SZUTEST GC - \$\$\$

CE

2000/14/EC &\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	200,00	160,00	180,00	144,00	259,00

Standard Specifications

Standard Specifications

Standard Specifications

ALTERNATOR

TRANSFER SWITCH

AJD 200

John Deere
Mecc Alte
D+&

Manufacturer	John Deere		
Model	6068 H		
		% \$ \$ " # "	
		% + + "	
		& () < DQ	
	L	6,80	
	"	106 X127	
		17:1	
	fl # ı	"# "	1500
	fl ı	L	34,00
		L	40,00
AbsorbedAirDischargeReSourceKey.Text	' # "	11,50	
	' # "	32,90	
	° C	603	
		12 V d.c.	
	Load	% \$ \$ı	' +) ı
	# "	41,00	31,50 21,00


		Mecc Alte
		ECO 38-1SN
	Hz	50
	"	180
7 cg'		0,80
		3
	fl ı	400/230
	A	259
Temperatur		H

		fl ı		fl ı	
	"	"	"	"	L
AJD 200	1620	2400	1150	1550	380
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1930	3400	1210	1850	380

AJD 200

John Deere
Mecc Alte
D+&''

1 D+&''



- 1
- 2
- 3
- 4
- 5

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$ 8G9'+&\$ ž fl

8G9'+&\$ ž fl

fl ž fl %\$\$

ž ž ž ž

AJD 200

John Deere
Mecc Alte
D+&''

f@Bt
f@%&@t
f@%&@Bt

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&* \$

%)

ž

ž


ž

ž

AJD 200

John Deere
Mecc Alte
D+&T

5?) \$!



1

1210 mm
3400 mm
1850 mm
380 mm

2

1210 mm
3400 mm
1850 mm
380 mm

	"	1210
fl "L	"	3400
fl "L	"	1850
		380