


AJD 45

John Deere
Mecc Alte
D+&''



ISO8528	GC ;) &-
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$' z' \$z' D:

	"	"	"	"	Amp
400/230	44,00	35,00	40,00	32,00	57,00

Standard Specifications

...

...

ALTERNATOR

...

TRANSFER SWITCH

...

AJD 45

John Deere
Mecc Alte
D+&''

Manufacturer		John Deere		
Model		3029 T		
		% \$ \$' "# "		
		(& "0* < DQ		
	L	2,90		
	"	106 X 110		
		17,2:1		
	fl # ı	"# "	1500	
	fl ı	L	8,50	
		L	18,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	3,20		
	' # "	7,60		
	° C	590		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "			
		9,70	7,50	5,20


		Mecc Alte		
		ECO 32-3S/4		
	Hz	50		
	"	40		
7cg		0,80		
		3		
	fl ı	400/230		
	A	57		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AJD 45	830	1780	950	1150	105
		fl ı		fl ı	
	"	"	"	"	L
AK 30	1030	2500	1010	1470	105

AJD 45

John Deere
Mecc Alte
D+&''

1 D+&''



- 1
- 2
- 3
- 4
- 5

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$

8G9'+&\$

fl

8G9'+&\$

ž

fl

ž

ž

fl

%\$\$

ž

#

ž

ž

ž

ž

"

AJD 45

John Deere
Mecc Alte
D+&''

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#


6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

AJD 45

John Deere
Mecc Alte
D+&T



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

fl "L	"	1010
fl "L	"	2500
fl "L	"	1470