

APD22P

Perkins
Stamford
D+&

AKSA POWER DIESEL



CE

z) \$ z' \$z' D:

	"	"	"	"	Amp
400/230	22,00	17,60	20,00	16,00	28,00

fPGDL' fDFDL' fGC') & z&(fGC' \$(**

Standard Specifications

(*# \$s fl ! E z z

ALTERNATOR

TRANSFER SWITCH

APD22P

Perkins
Stamford
D+&''


AKSA POWER DIESEL

Manufacturer		Perkins
Model		404D-22G
		%\$\$' "# "
		&\$' "Q+< DQ
	L	2,21
	"	84x100
		23,3:1
	fl # ı	"# " 1500
	fl ı	L 10,60
	L	7,00
AbsorbedAirDischargeReSourceKey.Text	' # "	1,45
	' # "	40
fl ' # ı	' # "	3,64
		12 V d.c.
	Load	\$\$i
	# "	
		5,40

		Stamford
	Hz	50
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD22P	655	1500	900	1172	
		fl ı		fl ı	
	"	"	"	"	L
ASM 3	885	2120	920	1480	110

D+&''



- 1
- 2
- 3
- 4
- 4

APD22P

Perkins
Stamford
D+&



- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %&\$
- 7 # ž ž ž ž " ž

APD22P

Perkins
Stamford
D+&



f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&* \$

%)

ž

ž

ž

ž

