

APD 33 A

Aksa
Aksa
D+&''



ISO8528

GC ;) &-

SZUTEST

GC - \$\$\$



2000/14/EC

&\$\$\$#(#

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	33,00	26,40	30,00	24,00	43,00

FDGL

GC ;) &

) & z

FDGL

%\$i

%

%&

GC" \$(*"

z&(

GC

Standard Specifications

(*# \$S

fl

!

z

z

ALTERNATOR

TRANSFER SWITCH

APD 33 A


Aksa
Aksa
D+&

Manufacturer		Aksa
Model		A4CRX25T
		%\$\$ "# "
		' \$' "Q \$< DQ
	L	2,40
	"	90 X 95
		18.0:1
	fl # ı	"# " 1500
	fl ı	L 10,00
	L	11,00
AbsorbedAirDischargeReSourceKey.Text	' # "	2,80
	' # "	115
fl ' # ı	' # "	9,50
	° C	500
		12 V d.c.
	Load	%\$\$ı
	# "	
		7,60

		Aksa
	Hz	50
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 33 A	680	1500	900	1100	95
		fl ı		fl ı	
	"	"	"	"	L
APD 33 A	800	1970	970	1250	

D+&



APD 33 A

Aksa
Aksa
D+&''

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&*\$

%)

ž

ž

ž

