

# APD 40 A

Aksa  
Aksa  
D+&''



<b>ISO8528</b>	...	...	...	...	...	GC ; ) &-
<b>SZUTEST</b>	...	...	...	...	...	GC - \$\$\$
<b>CE</b>	...	...	...	...	...	

**2000/14/EC**

&\$\$\$#( #

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	40,00	32,00	36,00	28,80	51,00

rfpGDE GC ; ) &''

rfDF DL %Si % %& GC "\$ (\*\* z&( GC

**Standard Specifications**

(\*#\$\$

fl ! E

z

z

fl " E

**ALTERNATOR**

fl

fl

**TRANSFER SWITCH**

fl

# APD 40 A

Aksa  
Aksa  
D+&''



Manufacturer		Aksa
Model		A3CRX32T
		% \$ \$ " # "
		' + " 0 \$ < DQ
	L	3,10
	"	105 X 120
		17.0:1
	fl # ı	"# " 1500
	fl ı	L 11,00
	L	18,00
AbsorbedAirDischargeReSourceKey.Text	' # "	3,20
	' # "	107
	' # "	9,50
	° C	550
		12 V d.c.
	Load	% \$ \$ı
	# "	
		10,50

		Aksa
	Hz	50
7 cg		0,80
		3
	fl ı	400/230
Temperatur		H


		fl ı		fl ı	
	"	"	"	"	L
APD 40 A	900	1730	900	1140	82
		fl ı		fl ı	
	"	"	"	"	L
APD 40 A	1030	2260	970	1280	

# APD 40 A

Aksa  
Aksa D+&''



## 1 D+&''



- 1
- 2
- 3
- 4
- 4

## 2

8G9ž +&\$ž ) 5ž&&\$#(\$

## 3

## 4

## 5

8G9'+&\$

8G9'+&\$

8G9'+&\$

fl

ł

ž

fl

%%\$

ł

#

ž

ž

ž

ž

# APD 40 A

Aksa  
Aksa  
D+&''



f@BŁ  
f@%&@Ł  
f@%&@BŁ

#

#

6G'9B \*\$-\$) \$  
6G'9B \*%\$\$!\*&  
6G'9B \*%\$\$!\*(

GA 8

!%& "

