


AC 175

Cummins
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	175,00	140,00	160,00	128,00	230,00

Standard Specifications

...

...

...

ALTERNATOR

...

TRANSFER SWITCH

...

AC 175

Cummins
Mecc Alte
P 602

Manufacturer		Cummins		
Model		6BTAA 5,9-G5		
		% \$ \$ ' "# "		
		%* \$ ' "		
		Q% < DQ		
	L	5,90		
	"	102 x 120		
		16,5:1		
	fl # ı	"# "	1500	
	fl ı	L	16,40	
		L	26,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	12,00		
	' # "	138		
fl ' # ı	' # "	32,00		
	° C	533		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "			
		37,00	29,00	19,00

		Mecc Alte		
		ECP 34-3L14		
	Hz	50		
	"	160		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	231		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 175	1470	2300	1150	1700	380
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1850	3400	1210	1850	380

AC 175

Cummins
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfU]hcb'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc'A U]bg': U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J k
9a Yf[YbVhrcd'di g\ 'Vi hrcb'UbX ž gYg ZcfVëbfc''V]fV]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëU]b['cZghYY'dfcj]XYg Vëffcg]cb
fyg]ghbghi fZUW''Dc'mYghYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\ \ ['cgg'UbX'Yi hYa Y'mXi fUV'Y ž]b]g\''@cW]UV'Y
UbX\]b[YX dUbY'Xccf dfcj]XYg YUgmUWV]gg hc' Vëa dcbYbrg''

'7 cbfbc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@WUHYX'UhihY'f[\hig]XY'cZhY [YbYfUrcf'gyhfk \Yb'nci
'cc_'UhihY'; Yb''GYH'Zca '5'fYfbUrcfë

HV''8G9''\$&\$'j'U'ghUbXUfX Vëbfc''a cXi 'Y'Zfc'i f [YbYfUrcf'gyhg'i d'hc'&\$\$_J 5'UbX'ih\Uj Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY' UbX' [Ug[YbYfUrcf'gyhg''H\Y'8G9''\$&\$'a cXi 'Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
ZYei YbVhžj c'žW'fYbžYb[]bY'c' d'fYggi fyžVëc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX' VUHYfmj c'hg''A cXi 'Y
a cb]rcf'ghY'a U]bg'gi dd'mUbX'gk]hW'c] Yf'hc'hY' [YbYfUrcf'k \Yb'hY'a U]bg'dck YfZU]g''H\Y'8G9''\$&\$'U'gc
]bX]WU]g'cdYfU]hcbU'ghUhi g'UbX'Zi 'hVëbX]hcbgž5i hca U]hW'mg\i h]b['Xck b'hY'; Yb''GYhUbX' []]b['fi Y ž]fghi d
Zi 'hVëbX]hcb'cZ; Yb''GYhZU]i fy''H\Y'@7 8 X]gd'Um]bX]WU]g'hY'Zi 'H'

A]WëdfeWggcf Vëbfc''YX"
@7 8 X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYZ*(1 '% &d]]Y'X]gd'Um'

5i hca U]hW'mifUbgZyfg'VYk YYb'a U]bg'fi h]hrc'UbX' [YbYfUrcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYHi d'UbX'Vi hrcb''Urci h'
: fcbhdUbY'dfc[fUa a]b[''
F Ya cHY'ghUff'

9j Ybh'c[[]b['f]sg\ck]b['XUfY'UbX'hja Y''
7 cbfbc'g' Ghcd#F YgYhZ'Ubi U'Z5i hcžHYghzGHUfz'Vi hrcbg''5b'UXX]hcbU'di g\ 'Vi hrcb'bYi hrc'hY'@7 8 X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ hY'a cXi 'Ygfa YHf]b['X]gd'Um]g''

AC 175

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&! @ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh'

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'


9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$ \$! *! & 9A 7 'ja a i b]mighUbxUfX"
6G'9B '*%\$ \$! *! ('9A 7 'Ya]gg]cb'ghUbxUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbx'ih\Ug \] [\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'(' "
#bdi h% , ' ! &* (j c'h57 "' Dfc]bY' &(\$) \Ug'Z' 'mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VbYVW'cb[']Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVW'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW' m(_J 'Zcf'\] [\ fY']UV]]h'

AC 175

Cummins
Mecc Alte
P 602

5?) \$!



1

1210 mm (47 1/4")

3400 mm (133 7/8")

1850 mm (72 7/8")

380 mm (15")

2

1210 mm (47 1/4")

3400 mm (133 7/8")

1850 mm (72 7/8")

380 mm (15")

	"	1210
fl "L	"	3400
fl "L	"	1850
		380